

HELAGO-CZ, s.r.o. Commercial Register maintained by the Regional Court in Hradec Králové Section C, File 17879 Kladská 1082 500 03 Hradec Králové 3 Company ID: 25 96 39 61, VAT: CZ 25963961 Phone: 495 220 229, 495 220 394 Fax: 495 220 154 GSM gate: 602 123 096 E-mail: info@helago-cz.cz Web: http://www.helago-cz.cz

## Workbench 1300 × 1100 × 800 - fixed height, 4x vise carpenter frontally Order code: 8008.1107101-800



Information about product price on demand

Parameters Dimensions [mm]

Height	Fixed 800 mm
Equipment	4x vise carpenter, front
Working place	4
Quantitative unit	ks

Certified (GS certificate) universal workbench for a variety of uses.

- working desktop beech piedroit, thickness 45 mm, longitudinal sides reinforced to 100 mm
- metal legs steel profile 60 × 60 mm, powder coated finish, height rectification with antislip finish
- 4× carpenter vise, easy disassembly and ability to store to rootstocks, vices placed on the shorter sides of the bench closer to the front edge
- VarioGrip layer on vice jaw for non-slip workpiece gripping, can be complemented with a counterpart from the same material



VarioGrip insert - a counterpart to the jaw

- 2× aluminium guide profile (always throughout the longer side of the table) for mounting of other accessories such as:
  - $\circ$  sliding pad beneath a metal vise
  - sliding pad for scroll saw cutting
  - $\circ~$  sliding pad for bevel
  - sliding pad for smaller electric chain saw
  - $\circ\;$  sliding stop for fixing the workpiece clamped in a carpenter vise



## Pad with metal vise



For scroll saw cutting







Sliding stop

- All quickly fixed at any location via quick release mechanism
- Option of additional boxes with basic tools for working with wood, paper, electronics
- Possibility of covering the table with plastic pad of 6 mm thickness for works polluting beech boards, eg. clay modeling
- GS certificate "Geprüfte Sicherheit" tested safety



Tool kit - wood



Tool kit - electronics



Tool kit - paper



Cover plate for working top

Overall dimensions of the bench without accessories:  $1 300 \times 1 100 \times 800$  (w × d × h) [mm]