

HELAGO-CZ, s.r.o. Commercial Register maintained by the Regional Court in Hradec Králové Section C, File 17879 Kladská 1082 500 03 Hradec Králové 3 Company ID: 25 96 39 61, VAT: CZ 25963961 Phone: 495 220 229, 495 220 394 Fax: 495 220 154 GSM gate: 602 123 096 E-mail: info@helago-cz.cz Web: http://www.helago-cz.cz

# U8557540 - Fine Beam Tube on Connection Base R Order code: 5401.1019957



Cena bez DPH Price with VAT

Parameters

#### Quantitative unit

For examining the deflection of electron beams in a uniform magnetic field using a pair of Helmholtz coils (1000906) and for the quantitative determination of the specific charge of the electron e/m. Glass vessel with integrated electron beam system, consisting of an indirectly heated oxide cathode, a Wehnelt cylinder and a perforated anode, in neon residual gas atmosphere with precisely set gas pressure and with integrated measurement marks for parallax-free determination of the diameter of the fine beam. Gas atoms are ionized along the electron path and produce a sharply defined, visible fluorescent beam. Tube mounted on base with colour coded connectors.

## **Experiment Topics:**

- Deflection of electrons in a closed circular path inside a magnetic field.
- Determination of specific charge of an electron e/m.

#### **Technical data:**

- Gas filling: Neon
- Gas pressure: 1.3x10-5 hPa
- Filament voltage: 5 7 V DC
- Filament current: < 150 mA
- Wehnelt voltage: 0 -50 V
- Anode voltage: 200 300 V
- Anode current: <0.3 mA
- Circular path diameter: 20 120 mm
- Division spacing: approx. 20 mm
- Tube diameter: approx. 160 mm
- Dimensions: approx. 115x115x35 mm<sup>3</sup>
- Weight: approx. 820 g

## **Required:**

5401.1003308 DC Napájecí zdroj 0 – 500 V 5401. 1000906 Helmholtzovy cívky 300 mm