



HELAGO-CZ, s.r.o.
Commercial Register maintained by the Regional Court in Hradec
Králové
Section C, File 17879
Kladská 1082
500 03 Hradec Králové 3
Company ID: 25 96 39 61, VAT: CZ 25963961
Phone: 495 220 229, 495 220 394
Fax: 495 220 154
GSM gate: 602 123 096
E-mail: info@helago-cz.cz
Web: <http://www.helago-cz.cz>

**B-150DBRPL - Binokular digital
microscope**

Order code: **0501.B150DBRPL**



Cena bez DPH

1.006,00 Eur

Price with VAT

1.217,26 Eur

Parameters

Microscopes types

Digital

Serie

B-150D

Number of eyepieces

Binocular

Number of lenses	4
Zoom of lenses	4×, 10×, 40×, 100×
Illumination	X-LED
Quantitative unit	ks

- Observation mode: Brightfield.
- Head: Binocular, 30° inclined; 360° rotating. With integrated 3.1 MP camera.
- Eyepieces: WF10x/18 mm, secured by screw.
- Nosepiece: Quadruple ball bearings revolving nosepiece.
- Objectives:
 - - N-PLAN 4x/0.10 , with anti-fungus treatment
 - - N-PLAN 10x/0.25 , with anti-fungus treatment
 - - N-PLAN 40x/0.65 , with anti-fungus treatment
 - - N-PLAN 100x/1.25 (Oil/Water) , with anti-fungus treatment
- Specimen stage: Mechanical stage, 125x116mm, 70×30 mm X-Y movement range. Vernier scale on the two axes, accuracy: 0.1mm.
- Focusing: Coaxial coarse and fine focusing mechanism with limit stop to prevent the contact between objective and specimen. Adjustable tension of coarse focusing knob.
- Condenser: Abbe N.A. 1.25, pre-centered, focusable, with iris diaphragm.
- Illumination: X-LED1 with white 1 W LED and light intensity control.
- Color temperature: 6,300 K. Li-Ion battery for long lasting operation. Multi-plug 100-240Vac/5Vdc external power supply.