

HELAGO-CZ, s.r.o. Commercial Register maintained by the Regional Court in Hradec Králové Section C, File 17879 Kladská 1082 500 03 Hradec Králové 3 Company ID: 25 96 39 61, VAT: CZ 25963961

Phone: 495 220 229, 495 220 394 Fax: 495 220 154 GSM gate: 602 123 096

GSM gate: 602 123 096 E-mail: info@helago-cz.cz Web: http://www.helago-cz.cz SE-60KAL - Washdown scale, IP68, max. capacity 60kg

Order code: 0103.SE60KAL



Cena bez DPH 990,00 Eur Price with VAT 1.197,90 Eur

Parameters

Minimum weighing value

Type Balances Platform Balances

Series

Approval (Verif. ČMI) NO
Capacity (maximum) 60000 g

10 g

SE

Platform [mm] 390 × 530

Specifications IP 68, Comparator function, Counting function

Calibration External
Quantitative unit ks

Scales A&D series SE- platform scales with IP68 and battery powered. High resistance to hostile environments!

SE series:

- **SE**-capacity **KAM** weighing pan size 300 × 380 mm
- **SE**-capacity **KAL** weighing pan size 390 × 530 mm

Note: The scales are also available in the metrology verifiable version. These scales are at the end of the code designation "EC".

## Features:

- Submersible IP68 compliant and fit for extremely wet work environments
- Washdown construction for easy cleaning
- Up to 4,500 hours of continuous operation with 6 D alkaline batteries (batteries are not included)
- High-speed weighing with 1-second stabilization
- Supersized LCD display with 39 mm character height
- Stainless steel (SUS430) weighing pan
- Comparator function
- Counting mode function
- Auto power off function
- Easily removable battery unit
- Battery life indicator

## Volitelné doplňky:

- RS-232C + comparator relay output
- Quick USB interface

Warning: RS232C and Quick USB cannot be used at the same time. The SE is not IP68 compliant with USB or RS-232 interface

