



HELAGO-CZ, s.r.o.  
Commercial Register maintained by the Regional Court in  
Hradec Králové  
Section C, File 17879  
Kladská 1082  
500 03 Hradec Králové 3  
Company ID: 25 96 39 61, VAT: CZ 25963961  
Phone: 495 220 229, 495 220 394  
Fax: 495 220 154  
GSM gate: 602 123 096  
E-mail: [info@helago-cz.cz](mailto:info@helago-cz.cz)  
Web: <http://www.helago-cz.cz>

---

**SE-150KAL - Washdown scales, IP68,  
max. capacity 150kg**  
Order code: **0103.SE150KAL**



Cena bez DPH

1.041,00 Eur

Price with VAT

1.259,61 Eur

Parameters

Type Balances

Platform Balances

Series

SE

Approval (Verif. ČMI)

NO

Capacity (maximum)

150000 g

Minimum weighing value

20 g

Platform [mm]	390 × 530
Specifications	IP 68, Comparator function, Counting function
Calibration	External
Quantitative unit	ks

**Scales A&D series SE-** platform scales with IP68 and battery powered. High resistance to hostile environments!

SE series:

- **SE-capacity KAM** - weighing pan size 300 × 380 mm
- **SE-capacity KAL** - weighing pan size 390 × 530 mm

Note: The scales are also available in the metrology verifiable version. These scales are at the end of the code designation "EC".

#### Features:

- Submersible IP68 compliant and fit for extremely wet work environments
- Washdown construction for easy cleaning
- Up to 4,500 hours of continuous operation with 6 D alkaline batteries (batteries are not included)
- High-speed weighing with 1-second stabilization
- Supersized LCD display with 39 mm character height
- Stainless steel (SUS430) weighing pan
- Comparator function
- Counting mode function
- Auto power off function
- Easily removable battery unit
- Battery life indicator

#### Volitelné doplňky:

- RS-232C + comparator relay output
- Quick USB interface

Warning: RS232C and Quick USB cannot be used at the same time. The SE is not IP68 compliant with USB or RS-232 interface

