

HELAGO-CZ, s.r.o. Commercial Register maintained by the Regional Court in Hradec Králové Section C, File 17879 Kladská 1082 500 03 Hradec Králové 3 Company ID: 25 96 39 61, VAT: CZ 25963961 Phone: 495 220 229, 495 220 394 Fax: 495 220 154 GSM gate: 602 123 096 E-mail: info@helago-cz.cz Web: http://www.helago-cz.cz

## MP1910 - Foot - Plantar surface & superficial dissection on the dorsum Order code: 4003.MP1910



Cena bez DPH Price with VAT

Parameters Quantitative unit 980,00 Eur 1.185,80 Eur

ks

This 3D printed specimen is dissected to expose the plantar surface of the foot, with some superficial dissection on the dorsum.

The anterior portions of the plantar aponeurosis have been largely removed the plantar surface of the foot has been dissected to the first layer of muscles. A small portion of the lateral band of the plantar aponeurosis is preserved with the attachment to the fourth metatarsal visible. The flexor digitorum brevis muscle and tendons overlie the flexor digitorum longus tendon, although both the divisions of the tendon and the lumbricals muscles are visible approaching the flexor sheaths. The superficial branches of the medial and lateral plantar nerves radiate from the margins of the flexor digitorum brevis muscle, and can be seen dividing into the common and proper plantar digital branches. At the margins of the plantar dissection, both the abductors and flexors of the hallux and fifth digit are exposed, with both medial and lateral heads of the flexor hallucis brevis inserting into prominent sesamoids on either side of the flexor hallucis longus tendon.

On the dorsum, a window of skin has been removed to expose the dorsal fascia of the foot and underlying tendons from the anterior compartment of the leg. The dorsal fascia has been removed over the lateral metatarsals to expose the extensor hallucis brevis, the

tendons of the extensor digitorum longus and brevis, and the dorsal interosseous muscles.

At the proximal end of the specimen, the distal tibia and fibula are visible joined by the interosseous membrane. The tendons and muscles of the leg compartment muscles are visible, including the tendocalcaneous. Both the anterior and posterior tibial arteries (with accompanying veins) are visible in cross section, as are the superficial fibular nerve and tibial nerve.