



HELAGO-CZ, s.r.o.
Commercial Register maintained by the Regional Court in
Hradec Králové
Section C, File 17879
Kladská 1082
500 03 Hradec Králové 3
Company ID: 25 96 39 61, VAT: CZ 25963961
Phone: 495 220 229, 495 220 394
Fax: 495 220 154
GSM gate: 602 123 096
E-mail: info@helago-cz.cz
Web: <http://www.helago-cz.cz>

**LF00042 - Lucy Maternal and Neonatal
Birthing Simulator - Basic Lucy**
Order code: **4107.LF00042**



Information about product price on demand

Parameters

Obstetrics, gynecology - filter

Quantitative unit

Birthing simulators

ks

Lucy Maternal and Neonatal Birthing Simulator is a simulation system designed to present the complex needs of a growing demographic with unique health and physical challenges. Creating a new level of physical realism will allow a near-human connection and enhance the immersion in training. Designed to provide a comprehensive and economical birthing experience from prenatal to postnatal delivery scenarios. This anatomically accurate birthing simulator allows students to experience realistic normal and abnormal deliveries. The quality

and simple design make Lucy easy to use and care for while teaching patient techniques for all levels of educator training.

Product Features

General

- Lightweight, full-body female - 66" (167 cm) long, 35-lb. (16 kg) weight
- Simple to transport in pre-hospital scenario training
- Superior range of motion with fully articulated joints
- Bony landmarks including ischial spines
- Change appearance quickly with multiple hair and eye color combinations

Functions

- Airway management - intubation and ventilation with chest rise
- Amniotic sac
- Articulating arms and legs
- Articulating baby - 18" (45 cm) long, 22-lb. (1 kg) weight
- Birthing positions - hands and knees, lateral, supine
- Breech deliveries - complete, incomplete, Footling, and Frank
- Cervical dilation - 6 stages
- Cesarean section delivery
- CPR
- Deliveries - vaginal, cesarean, forceps-assisted, and vacuum-assisted
- Episiotomy repair
- External version
- Fetal palpation - abdominal and Leopold's maneuvers
- Fetal suction
- Fundal massage
- Intramuscular injection sites (maternal only), right deltoid, left deltoid, right thigh
- Manual birthing maneuver - instructor/student-controlled fetal descent
- Membrane rupture
- Oral and nasal care - lavage, gavage, suctioning
- Patient positioning and transfer techniques
- Placenta previa
- Postpartum care
- Postpartum hemorrhage
- Scale electrode placement
- Shoulder dystocia maneuvers - McRobert's, Suprapubic Pressure, Rubin's I and II, Wood's Screw, Reverse Wood's Screw, Posterior Arm, Gaskin
- Umbilical cord clamping and cutting
- Umbilical cord prolapse

Includes

- Abdominal pad
- Abdominal skin, 2 - 1 normal and 1 cesarean
- Amniotic sac, 50
- Articulating baby
- Cervices, 6 - stages 1-6
- Chest skin
- CPR chest
- Eyes, 3 sets - brown, blue, and green
- Fundus
- Hospital gown
- Inflation tubing with squeeze bulb
- Lubricating jelly
- Lung bag

- Pelvic block
- Perineal skin, 3 - prenatal, birthing, and episiotomy
- Perineal skin stabilizer pad
- Placenta
- Positioning bag
- Umbilical clamp
- Umbilical cords, 4 - 1 long and 3 short
- Wigs, 3 - black, blond, and brown